


AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A compound of formula I



formula I

Wherein, n is 0 or 1;

R1 is XR wherein,

X is selected from O; S; S=O and SO₂,

R is a moiety selected from the group consisting of: C1 to C9 alkyl, C2 to C15 alkenyl, C2 to C15 alkynyl, C1 to C15 heteroalkyl, C6 to C15 aryl, C6 to C15 heteroaryl, C6 to C15 arylalkyl or C6 to C15 heteroarylalkyl; which moiety R is optionally substituted, cyclic or acyclic, branched and/or linear,

R2 is N(Y)Z,

R3 is OR, where in each occurrence of the moiety OR, R forms an ether bond,

the groups R2 to R5 are R4 is selected from the group consisting of OH, OR and N(Y)Z, such that:

R5 is selected from the group consisting of OH and OR,

such that one of R4 and R5 is OH,


where more than one of R3, R4, and R5 are OR, the OR groups at R3 and R4 or R5 are different,

~~at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are OH,~~

~~at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are OR, where R is defined above, with the proviso that when two of the groups R2 to R5 are OR, OR is an ether type moiety and the R groups may not both be methyl or unsubstituted benzyl,~~

~~at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are N(Y)Z, where Z is selected from hydrogen or R and Y is selected from the following, where G denotes the point of connection to the nitrogen atom in N(Y)Z, the N(Y)Z moieties may not be the same;~~

~~wherein when n = 1, only one of R4 and R5 may be hydroxyl;~~



and the groups Q and W are independently selected from hydrogen or R as is defined above, and Q and W may combine to form a cycle,

the groups Z and Y may combine to form a cycle,

the groups R1 to R5 may not combine together to form a cycle,

with the proviso that where two groups in the compound of formula I are N(Y)Z, these groups are different,

with the further proviso that ~~when either R2 or R5 is N(Y)Z, N(Y)Z may not be trifluoroacetamido, acetamido,~~

~~with the further proviso that when R2 is N(Y)Z, N(Y)Z may not be phthalimido, N-1-(4,4-dimethyl-2,6-dioxocyclohexylidene)ethyl (Dde), or a 5-Acyl-1,3-dimethylbarbiturate type protecting group (DTPM),~~

with the further proviso that the group R may not be or contain another saccharide moiety; and wherein the optional substituents are selected from the group consisting of OH, NO, NO₂, NH₂, N₃, halogen, CF₃, CHF₂, CH₂F, nitrile, alkoxy, aryloxy, amidine, guanidiniums, carboxylic acid, carboxylic acid ester, carboxylic acid amide, aryl, cycloalkyl, heteroalkyl, heteroaryl, aminoalkyl, aminodialkyl, aminotrialkyl, aminoacyl, carbonyl, substituted or unsubstituted imine, sulfate, sulfonamide, phosphate, phosphoramidate, hydrazide, hydroxamate, hydroxamic acid, heteroaryloxy, aminoalkyl, aminoaryl, aminoheteroaryl, thioalkyl, thioaryl or thioheteroaryl, which may be further substituted.


2. (Previously Presented) The compound of claim 1 wherein n is 1.

3. (Cancelled).

4. (Currently Amended) The compound of claim 2, wherein

n is 1 and R4 is N(Z)Y;


~~at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are N(Y)Z, where Z is selected from hydrogen or R and Y is selected from the following, where G denotes the point of connection to the nitrogen atom in N(Y)Z, the N(Y)Z moieties may not be the same;~~




and the groups Q and W are independently selected from hydrogen or R as is defined above, with the proviso that Y and Z may not both be hydrogen and where two groups in the compound of formula I are N(Y)Z, these groups are different, the groups Z and Y may combine to form a cycle, the groups R1 to R5 may not combine together to form a cycle, with the proviso that where two groups in the compound of formula I are N(Y)Z, these groups are different, with the further proviso that when either R2 or R5 is N(Y)Z, N(Y)Z may not be trifluoroacetamido or acetamido, with the further proviso that when R2 is N(Y)Z, N(Y)Z may not be phthalimido, *N*-1-(4,4-dimethyl-2,6-dioxocyclohexylidene)ethyl (Dde), or a 5-Acyl-1,3-dimethylbarbiturate type protecting group (DTPM), with the further proviso that when the scaffold is of the 2-deoxy-2-aminoglucose configuration and R5 and R4 are both hydroxyl, R3 may not be a glycolate [$\text{CH}_2\text{CO}_2\text{H}$] or lactate ether [$\text{CH}(\text{CH}_3)\text{CO}_2\text{H}$] or an ester or amide derivative thereof.

5. (Previously Presented) The compound of claim 1 wherein the heteroarylalkyl is substituted by a moiety selected from the group consisting of OH, NO, NO₂, NH₂, N₃, halogen, CF₃, CHF₂, CH₂F, nitrile, alkoxy, aryloxy, amidine, guanidiniums, carboxylic acid, carboxylic acid ester, carboxylic acid amide, aryl, cycloalkyl, heteroalkyl, heteroaryl, aminoalkyl, aminodialkyl, aminotrialkyl, aminoacyl, carbonyl, substituted or unsubstituted imine, sulfate, sulfonamide, phosphate, phosphoramidate, hydrazide, hydroxamate, hydroxamic acid, heteroaryloxy, aminoalkyl, aminoaryl, aminoheteroaryl, thioalkyl, thioaryl or thioheteroaryl, which may be further substituted, with the proviso that the group R may not be or contain a peptide, protein or amino acid.


6. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




7. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




8. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




9. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




10. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




11. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




12. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




13. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




14. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




15. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




16. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




17. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




18. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:




19. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:



20. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:



21. (Withdrawn) A method of preparing a compound according to claim 1, said method comprising reduction of:





22. (Withdrawn) A method of synthesizing a compound of claim 1 wherein the compound is immobilised to a support.

23. (Withdrawn) The method of claim 22, wherein the compound is immobilised to the support through a hydroxyl group.

24 (Withdrawn) The method of claim 23, wherein the support is selected from the group consisting of derivatised polystyrene, tentagel, wang resin, MBHA resin, aminomethylpolystyrene, rink amide resin , DOX-mpeg and polyethylene glycol.

25. (Currently Amended) The compound of claim 1, wherein R1 is selected from the group consisting of





26. (Currently Amended) The compound of claim 1, wherein one of the R moieties in OR is selected from the group consisting of

Methyl


Ethyl

Y1


Y2

Y3


Y4




Y5




Y6




Y7




Y8




Y9




Y10




Y11




Y12




Y13




Y14




Y15




Y16




Y17




Y18




Y19




Y20




Y21




Y22




Y23




Y24




Y25




Y26




Y27



Y28




Y29




Y30


27. (Currently Amended) The compound of claim 1, wherein Y is selected from the group consisting of




Z1




Z2




Z3




Z5




Z6




Z7




Z8




Z9




Z10




Z11




Z12




Z13




Z14




Z15




Z16




Z17




Z18




Z19




Z20




Z21




Z22




Z23




Z24




Z25




Z26




Z27




Z28




Z29




Z30




Z31




Z32




Z33




Z34




Z35




Z36




Z37




Z38




Z39




Z40




Z41




Z42




Z43




Z44




Z45




Z46




Z47




Z48




Z49




Z50




Z51




Z52




Z53




Z54




Z55




Z56




Z57



Z58




Z59



Z60

28. (Previously Presented) A compound of formula 2



formula 2

R1 is XR wherein,

X is selected from O; S; S=O and SO₂,


R is a moiety selected from the group consisting of: C1 to C9 alkyl, C2 to C15 alkenyl, C2 to C15 alkynyl, C1 to C15 heteroalkyl, C6 to C15 aryl, C6 to C15 heteroaryl, C6 to C15 arylalkyl or C6 to C15 heteroarylalkyl; which moiety is optionally substituted, cyclic or acyclic, branched and/or linear,

the groups R2 to R5 are selected from OH, OR and N(Y)Z such that:

at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are OH,

at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are OR, where R is defined above, with the proviso that when two of the groups R2 to R5 are OR, OR is an ether type moiety and the R groups may not both be methyl or unsubstituted benzyl,

at least one of the groups R2 to R5 and not more than two of the groups R2 to R5 are N(Y)Z, where Z is selected from hydrogen or R and Y is selected from the following, where G denotes the point of connection to the nitrogen atom in N(Y)Z, the N(Y)Z moieties may not be the same;



and the groups Q and W are independently selected from hydrogen or R as is defined above, and Q and W may combine to form a cycle,

the groups Z and Y may combine to form a cycle,

the groups R1 to R5 may not combine together to form a cycle,

with the proviso that where two groups in the compound of formula I are N(Y)Z, these groups are different,

with the further proviso that when either R2 or R5 is N(Y)Z, N(Y)Z may not be trifluoroacetamido, acetamido,

with the further proviso that when R2 is N(Y)Z, N(Y)Z may not be phthalimido, *N*-1-(4,4-dimethyl-2,6-dioxocyclohexylidene)ethyl (Dde), or a 5-Acyl-1,3-dimethylbarbiturate type protecting group (DTPM),

with the proviso that the group R may not be or contain another saccharide moiety; and wherein the optional substituents are selected from the group consisting of OH, NO, NO₂, NH₂, N₃, halogen, CF₃, CHF₂, CH₂F, nitrile, alkoxy, aryloxy, amidine, guanidiniums, carboxylic acid, carboxylic acid ester, carboxylic acid amide, aryl, cycloalkyl, heteroalkyl, heteroaryl, aminoalkyl, aminodialkyl, aminotrialkyl, aminoacyl, carbonyl, substituted or unsubstituted imine, sulfate, sulfonamide, phosphate, phosphoramidate, hydrazide, hydroxamate, hydroxamic acid, heteroaryloxy, aminoalkyl, aminoaryl, aminoheteroaryl, thioalkyl, thioaryl or thioheteroaryl, which may be further substituted.

29. (Previously Presented) A library of compounds containing a plurality of compounds of formula 1 according to claim 1.